




WOODWORKING GLUES

Titebond®

titebond.com | 800.347.4583




TITEBOND III ULTIMATE

Our fastest growing formula, it is considered the best wood glue ever! Highly recognized by professionals and DIYers for its superior strength, longer open time and waterproof bond.

- Exterior/Interior projects
- Passes ANSI/HPVA Type I – Waterproof
- Lower application temperature
- Water cleanup
- FDA-compliant for indirect food contact

size	item #	units/case	cases/pallet
1.25 Oz Bottle	1411	50	160
4 Oz Bottle	1412	12	270
8 Oz Bottle	1413	12	160
16 Oz Bottle	1414	12	100
Quart Bottle	1415	6	88
Gallon Jug	1416	2	63
2.15 Gallon Projug	14109	1	60
5 Gallon Pail	1417	1	24
55 Gallon Drum	1418	1	4



TITEBOND II PREMIUM

Our most popular wood glue! A strong initial tack, shorter assembly time and excellent water resistance make it the ideal choice for interior/exterior woodworking and home repairs.

- Interior/Exterior projects
- Passes ANSI/HPVA Type II – Weatherproof
- FDA-compliant for indirect food contact
- Water cleanup

size	item #	units/case	cases/pallet
1.25 Oz Bottle	5001	50	160
4 Oz Bottle	5002	12	270
8 Oz Bottle	5003	12	160
16 Oz Bottle	5004	12	100
Quart Bottle	5005	6	88
Gallon Jug	5006	2	63
2.15 Gal Projug	50009	1	60
5 Gallon Pail	5007	1	24
55 Gallon Drum	5008	1	4




TITEBOND II PREMIUM EXTEND

A slower-setting version of TITEBOND II PREMIUM, it is ideal for more complex woodworking assemblies.

- Longer open time
- Unaffected by finishes
- Water cleanup

size	item #	units/case	cases/pallet
16 Oz Bottle	4134	12	100
Gallon Jug	4136	2	63
5 Gallon Pail	4137	1	24
55 Gallon Drum	4138	1	4



TITEBOND II PREMIUM DARK

A dyed version of TITEBOND II PREMIUM, it is ideal for darker wood species such as walnut, mahogany and cherry.

- Cures to a dark brown glue line
- Fast set time
- Water cleanup

size	item #	units/case	cases/pallet
8 Oz Bottle	3703	12	160
16 Oz Bottle	3704	12	100
Gallon Jug	3706	2	63
5 Gallon Pail	3707	1	24
55 Gallon Drum	3708	1	4



TITEBOND II PREMIUM FLUORESCENT

A fluorescent dyed version of TITEBOND II PREMIUM that enables easy detection and removal of dried glue before finishing.

- Visible under black light systems
- Fast set time
- Water cleanup

size	item #	units/case	cases/pallet
Gallon Jug	2316	2	63
5 Gallon Pail	2317	1	24
55 Gallon Drum	2318	1	4



TITEBOND ORIGINAL

The industry standard! Recognized as a superior-strength, high quality formula for general woodworking applications. It has been the preferred choice of professional woodworkers for over 60 years.

- Interior projects
- Strong initial tack
- Excellent sandability
- Water cleanup

size	item #	units/case	cases/pallet
4 Oz Bottle	5062	12	270
8 Oz Bottle	5063	12	160
16 Oz Bottle	5064	12	100
Quart Bottle	5065	6	88
Gallon Jug	5066	2	63
2.15 Gallon Projug	50609	1	60
5 Gallon Pail	5067	1	24
55 Gallon Drum	5068	1	4



TITEBOND ORIGINAL EXTEND

A slower-setting version of TITEBOND ORIGINAL, it is ideal for more complex woodworking assemblies and bent laminations.

- Longer open time
- Unaffected by finishes
- Water cleanup

size	item #	units/case	cases/pallet
16 Oz Bottle	9104	12	100
Gallon Jug	9106	2	63
5 Gallon Pail	9107	1	24
55 Gallon Drum	9108	1	4




QUICK & THICK MULTI-SURFACE

2X Faster – 3X Thicker! A versatile formula that offers precise control and less mess. Ideal for the woodshop, home or crafts. Bonds wood, ceramic, stone, glass, fabrics and most craft materials.

- Interior projects
- Dries clear – Paintable
- Fills small gaps
- Ideal for bonding end grain
- Water cleanup

size	item #	units/case	cases/pallet
8 Oz Bottle	2403	12	160
16 Oz Bottle	2404	12	100



GENUINE HIDE

The original hide glue that requires no mixing or heating. It features a longer assembly time, exceptional creep resistance and reversible bond capabilities. Ideal for antique furniture.

- Interior projects
- Ideal for "crackle" finishes
- Excellent sandability
- Water cleanup

size	item #	units/case	cases/pallet
4 Oz Bottle	5012	12	270
8 Oz Bottle	5013	12	160
16 Oz Bottle	5014	12	100
5 Gallon Pail	5017	1	24



ALL PURPOSE WHITE

A versatile formula for interior applications. It is ideal for hobbyists, crafters and school teachers alike, providing excellent strength on wood, paper, fabrics, pottery and more.

- Dries clear
- Fast set time
- Strong bond
- Water cleanup

size	item #	units/case	cases/pallet
4 Oz Bottle	5032	12	270
8 Oz Bottle	5033	12	160
16 Oz Bottle	5034	12	100
Gallon Jug	5036	2	63



DOWELING

High quality formulas specifically designed for use with automated doweling equipment. Allows appropriate flow through machine feed lines.

- Low viscosity for better results
- Fast set time
- Translucent glue line
- Water cleanup

size	item #	units/case	cases/pallet
5 Gallon Pail Standard (1,500 cps)	2207	1	24



DOWELING LV

High quality formulas specifically designed for use with automated doweling equipment. Allows appropriate flow through machine feed lines.

- Lower viscosity for better results
- Fast set time
- Translucent glue line
- Water cleanup

size	item #	units/case	cases/pallet
5 Gallon Pail Low Viscosity (140 cps)	3817	1	24



SPEED SET

Extremely fast-setting, high-solids PVA adhesive designed with a shorter clamp time. Visible under black light, allowing for easy detection and cleanup of any glue residue.

- **Extremely fast set – 15 minute clamp time**
- **Excellent strength & durability**
- **Water cleanup**

size	item #	units/case	cases/pallet
8 Oz Bottle	4363	12	160
Gallon Jug	4366	2	63
5 Gallon Pail	4367	1	24



MELAMINE

Designed for bonding wood-based products to synthetic materials, including melamine, vinyl and HPL. Offers superior strength, strong initial tack, excellent strength and clear glue line.

- **Strong initial tack**
- **Thicker formula – No-run**
- **Dries clear**

size	item #	units/case	cases/pallet
16 Oz Bottle	4014	12	100
Gallon Jug	4016	2	63
5 Gallon Pail	4017	1	24
55 Gallon Drum	4018	1	4



SUPER TITEBOND

A professional-quality formula that offers superior heat-resistance and longer assembly time. It is ideal for edge and face gluing on panels, squares and other wood components.

- **Strong initial grab**
- **Versatile formula**
- **Longer working time**
- **Water cleanup**

size	item #	units/case	cases/pallet
5 Gallon Pail	5077	1	24
55 Gallon Drum	5078	1	4



WHITE

A professional-strength formula ideal for general, larger-scale woodworking applications. Strong initial tack, fast set and unaffected by finishes.

- **Interior projects**
- **Fast set time**
- **Excellent sandability**
- **Water cleanup**

size	item #	units/case	cases/pallet
Gallon Jug	15026	2	63
5 Gallon Pail	5027	1	24
55 Gallon Drum	5028	1	4




COLD PRESS HPL

High-performance alternative to contact cement for large-scale flat laminating. Offers excellent strength and moderate speed of set.

- **Strong bond – Fast grab**
- **No corrosive fumes**
- **Dries translucent**
- **Water cleanup**

size	item #	units/case	cases/pallet
5 Gallon Pail	4617	1	24
55 Gallon Drum	4618	1	4



COLD PRESS VENEER

For large-scale bonding of veneers to flat surfaces. Excellent strength, moderate speed of set.

- **Prevents bleed-through**
- **No corrosive fumes**
- **Water cleanup**

size	item #	units/case	cases/pallet
Quart Bottle	5175	6	88
Gallon Jug	5176	2	63
5 Gallon Pail	5177	1	24
55 Gallon Drum	5178	1	4



INSTANT BOND

Designed specifically for wood, but offers excellent adhesion on a wide range of materials. Use alone or with an accelerator for even faster set times.

- Eliminates clamping
- Superior bond strength
- Impact resistant
- No-clog applicator

THIN VISCOSITY

Fastest assembly time of 5 seconds and an initial cure speed of 3 seconds. It is ideal for repairing hairline cracks and small defects in wood, as well as repairing loose veneer edges. It can also be used as a finish.

MEDIUM VISCOSITY

Offers an assembly time of 7 seconds and an initial cure speed of 5 seconds. In addition to typical bonding applications, it is ideal for filling knots and voids in wood, adhering pen tubes to blanks for pen turning applications, and for soaking end-grain to prevent splitting.

THICK VISCOSITY

Offers an assembly time of 10 seconds and an initial cure speed of 8 seconds. It is ideal for bonding end-grain in a miter joint application, quick assembly of jigs and fixtures, adhering turning blocks to scrap blocks on a faceplate for immediate use.

GEL VISCOSITY

Longest assembly time of 30 seconds and an initial cure speed of 20 seconds. It is ideal for gap-filling applications, gluing porous and odd-shaped surfaces and various cabinet making applications, such as pre-bonding moldings to install as one unit.

size	item #	units/case	cases/pallet
2 Oz Bottle	6201	15	210
4 Oz Bottle	6202	10	270

size	item #	units/case	cases/pallet
2 Oz Bottle	6211	15	210
2 Oz Bottle - Jet Black	8211	15	210
4 Oz Bottle	6212	10	270

size	item #	units/case	cases/pallet
2 Oz Bottle	6221	15	210
4 Oz Bottle	6222	10	270

size	item #	units/case	cases/pallet
2 Oz Bottle	6231	15	210
4 Oz Bottle	6232	10	270



INSTANT BOND ACCELERATOR

Accelerates the curing of all TITEBOND INSTANT BOND ADHESIVES. It is especially effective for large gaps, very porous woods and bridge bonding joints, bonding acidic surfaces or in low humidity conditions.

- Two convenient application methods
- Heptane-based formula
- Safe on finishes & won't damage plastics

size	item #	units/case	cases/pallet
5.5 Oz Aerosol Can	6319	12	180




INSTANT BOND ACTIVATOR

Accelerates the curing of all TITEBOND INSTANT BOND ADHESIVES. It is especially effective for large gaps, very porous woods and bridge bonding joints, bonding acidic surfaces or in low humidity conditions.

- Two convenient application methods
- Heptane-based formula
- Safe on finishes & won't damage plastics

size	item #	units/case	cases/pallet
2 Oz Spray Bottle	6311	15	210



TITEBRUSH GLUE APPLICATOR

A durable glue brush with 100% silicone bristles. Eliminates the need for disposable brushes, fingers and other spreading tools.

- Ideal for woodworking & crafts
- 100% silicone bristles
- Compatible with all types of glues
- Extremely easy to clean

size	item #	units/case	cases/pallet
9.25"	16330	12	n/a



CONSTRUCTION ADHESIVES

Titebond

THE PRO'S ADVANTAGE

titebond.com | 800.347.4583



SOLVENT-BASED HEAVY DUTY

Premium-grade formula designed for the most demanding construction and repair projects. It is covered under the 50 Year Gold Subfloor Warranty against subfloor squeaks and pops.

- All weather
- Waterproof
- Guns easily

size	item #	units/case	cases/pallet
10 Oz Cartridge	5261	12	108
28 Oz Cartridge	5262	12	44
5 Gallon Pail	5267	1	36
52 Gallon Drum	5268	1	4



PROVANTAGE HEAVY DUTY

Premium-grade formula provides strong grab, fills gaps and irregularities and will remain permanently flexible. It is covered under the 50 Year Gold Subfloor Warranty against subfloor squeaks and pops.

- Durable bond
- All weather
- VOC-compliant in all 50 states

size	item #	units/case	cases/pallet
10 Oz Cartridge	5251	12	108
28 Oz Cartridge	5252	12	44



CONTRACTOR GRADE HEAVY DUTY

VOC-compliant, nonflammable formula designed to deliver professional strength and performance for interior and exterior projects.

- Interior / exterior
- Strong bond
- Solvent free

size	item #	units/case	cases/pallet
10 Oz Cartridge	7471	12	108
28 Oz Cartridge	7472	12	44
3.5 Gallon Pail	7479	1	36



PVC TRIM ADHESIVE & SEALANT

A one-component, advanced polymer adhesive and sealant designed for various PVC trim, moulding and beadboard installations.

- Superior handling and application
- Adheres and seals PVC to a variety of substrates
- Tenacious bond strength that flexes with the PVC

size	item #	units/case	cases/pallet
9.5 Oz Cartridge	6401	12	108



PVC TRIM JOINT ADHESIVE

A single-component, high-strength adhesive designed for constructing PVC miter, shiplap & scarf joints along with the installation of column wraps.

- High strength delivers a permanent bond
- Single-component for ease of use
- Forms a complete joint in 60 seconds

size	item #	units/case	cases/pallet
4 Oz Bottle	6422	10	270



TITEGRAB PLUS

An advanced polymer formula designed to instantly grab and hold materials in place. Its rapid strength build significantly reduces installation times and the need for bracing.

- Grabs instantly, holds permanently
- All weather
- Bonds virtually any material

size	item #	units/case	cases/pallet
9 Oz Cartridge	6701	12	108



SOLVENT-BASED SUBFLOOR

Professional strength formula that is specifically designed for subfloor installations and general plywood use. It is covered under the 25 Year Silver Subfloor Warranty against subfloor squeaks and pops.

- Prevents floor squeaks
- Guns easily
- All weather

size	item #	units/case	cases/pallet
10 Oz Cartridge	5491	12	108
28 Oz Cartridge	5492	12	44



PROVANTAGE SUBFLOOR

Professional-strength formula that offers a strong initial tack and excellent bond strength. It is covered under the 25 Year Silver Subfloor Warranty against subfloor squeaks and pops.

- Prevents floor squeaks
- Durable bond
- VOC-Compliant in all 50 states

size	item #	units/case	cases/pallet
10 Oz Cartridge	5481	12	108
28 Oz Cartridge	5482	12	44
52 Gallon Drum	5488	1	4



CONTRACTOR GRADE WATER-BASED SUBFLOOR

VOC-compliant, professional-strength formula that forms a durable, highly water-resistant bond and exhibits excellent aging qualities.

- Strong bond
- Reduces floor squeaks
- Solvent free

size	item #	units/case	cases/pallet
28 Oz Cartridge	7282	12	44



SOLVENT-BASED DRYWALL

Specifically designed for installing drywall and paneling to most common building materials including wood and metal studs. All-weather formulation fills gaps and irregularities in substrates.

- Fast grab
- All weather
- Reduces fastener pops

size	item #	units/case	cases/pallet
28 Oz Cartridge	5352	12	44



DRYWALL PLUS

Professional strength formula that has excellent adhesion, eliminates nail pops and can be extruded down to 0°F.

- Eliminates up to 99% of fastener pops
- Reduces fastener use by up to 50%
- Fast grab

size	item #	units/case	cases/pallet
28 Oz Cartridge	5342	12	44



CONTRACTOR GRADE WATER-BASED DRYWALL

VOC-compliant, solvent-free formula that reduces fastener pops and provides a "no sag" installation.

- Strong bond
- No harsh odor
- Bonds to wood and metal studs

size	item #	units/case	cases/pallet
28 Oz Cartridge	7292	12	44



FAST SET POLYURETHANE

A one-component, advanced adhesive technology designed to build strength faster and stronger than other construction adhesives. Provides a smooth bead for effortless extrusion, even in near-freezing temperatures.

- All weather
- Ultimate strength & durability
- Bonds virtually any material

size	item #	units/case	cases/pallet
10 Oz Cartridge	4221	12	108
28 Oz Cartridge	4222	12	44



PROVANTAGE LANDSCAPE

Specifically designed for use on pavers, retaining walls, stone, brick, block, wood and most common landscaping building materials.

- Repairs loose bricks
- All weather
- Waterproof

size	item #	units/case	cases/pallet
10 Oz Cartridge	3121	12	108
28 Oz Cartridge	3122	12	44



CONTRACTOR GRADE PROJECTS

VOC-compliant, nonflammable formula that offers a longer working time for precise assembly while remaining permanently flexible. Ideal for foamboard, plastics and tub surrounds.

- Bonds common materials
- No odor
- Water cleanup

size	item #	units/case	cases/pallet
10 Oz Cartridge	4121	12	108



COVE BASE PLUS

VOC-compliant, nonflammable formula designed with a strong initial grab for the quick and easy installation of rubber and vinyl cove bases.

- Adheres to painted & primed surfaces
- Eliminates sagging
- Interior vinyl, rubber and wood

size	item #	units/case	cases/pallet
10 Oz Cartridge	3401	12	108
28 Oz Cartridge	3402	12	44
4 Gallon Pail	3404	1	36



SOLVENT-BASED ALL PURPOSE

Versatile formula designed for general purpose interior and exterior applications that bonds common building materials. It offers a longer working time for precise assembly while remaining permanently flexible.

- Bonds foamboard
- Water resistant
- Strong bond

size	item #	units/case	cases/pallet
10 Oz Cartridge	3451	12	108
28 Oz Cartridge	3452	12	44
52 Gallon Drum	3458	1	4



SOLVENT-BASED FRP

Versatile, water-resistant adhesive ideal for the installation of FRP, tileboard and other paneling materials.

- Extended working time allows precise material placement
- Easy to trowel
- Exceeds ASTM C557

size	item #	units/case	cases/pallet
5 Gallon Pail	3227	1	36



ULTIMATE ADVANCED POLYMER PANEL

VOC-compliant, professional strength advanced polymer adhesive that bonds virtually any material. Ideal for the installation of FRP, laminate and non-porous paneling materials.

- Fast grab with rapid cure rate
- Trowels easily
- Mold & mildew resistant

size	item #	units/case	cases/pallet
1/2 Gallon Pouches	4315	6	36
3.5 Gallon Pail	4319	1	36

ULTIMATE ADVANCED POLYMER PANEL POUCHES

Easy to open packages that offer faster application with less mess.



FAST GRAB FRP

VOC-compliant, nonflammable adhesive designed for the installation of FRP (fiber reinforced plastic) panels over porous substrates. It's fast initial grab and bonding power reduces the need for extended bracing.

- Industry's #1 FRP adhesive
- Nonflammable
- No offensive odor
- Easy water cleanup in wet state

size	item #	units/case	cases/pallet
1 Gallon Pail	4056	2	75
3.5 Gallon Pail	4059	1	36
4 Gallon Pail	4054	1	36



ACOUSTICAL CEILING TILE

Designed for the safe and easy installation of acoustical ceiling tiles. Offers a fast, strong grab that holds materials firmly in place and eliminates sagging. Bonds common surfaces such as drywall, plaster, concrete and painted surfaces.

- Easy water cleanup in wet state
- Passes ASTM D1779

size	item #	units/case	cases/pallet
1 Gallon Pail	2706	2	75
4 Gallon Pail	2704	1	36





TROWELS

Ensures successful and cost-effective installation.

- Sturdy with a comfortable hand grip
- Heavy duty construction

size	item #	units/case	cases/pallet
3/16"w x 1/4"d x 1/2"c-c (or 5/16" space) V-notch	17884	8	65
3/16"w x 1/4"d x 11/16"c-c (or 1/2" space) V-notch	17929	8	65



FLOORING PRODUCTS

Titebond
THE PRO'S ADVANTAGE

titebond.com | 800.347.4583



771-STEP ADHESIVE, SOUND & MOISTURE CONTROL

Combines the superior properties of a moisture cure adhesive with the ability to be used as a moisture and sound control system, primarily for wood floor installations.

- Unlimited moisture control protection
- Rapid strength development
- Spreads & cleans up easily

size	item #	units/case	cases/pallet
.75 Gallon Pouches	7713	4	48
20 Oz Sausage	7712	20	45
3.5 Gallon Pail	7719	1	36

771-STEP POUCHES & SAUSAGE PACKS

Light, easy-to-open packages that offer faster installation with less mess. Perfect for small and large jobs.



821-STEP ADHESIVE, SOUND & MOISTURE CONTROL

Combines the superior properties of a moisture-cure adhesive with the ability to be used as a moisture and sound control system.

- Unlimited moisture control protection
- Excellent green grab & strength
- Provides long open working time

size	item #	units/case	cases/pallet
3.5 Gallon Pail	8319	1	36



811 ADVANTAGE URETHANE

Ideal for the installation of all wood parquet, engineered and solid plank flooring and cork underlayment.

- Excellent strength development
- Non-slump formula to reduce hollow spots
- For use with Titebond Moisture Control Systems

size	item #	units/case	cases/pallet
.75 Gallon Pouches	2773	4	48
20 Oz Sausage	2774	20	44
3.5 Gallon Pail	2779	1	36

811 POUCHES & SAUSAGE PACKS

Light, easy to open packages that offer a faster, cleaner installation. Perfect for small and large jobs.



801 PREFERRED URETHANE

Designed for the installation of all engineered wood flooring.

- Trowels easier than other urethane adhesives
- Moisture, mold & mildew resistant
- Long open time

size	item #	units/case	cases/pallet
3.5 Gallon Pail	8109	1	36



991 PROVANTAGE

Advanced VOC-compliant solvent-based wood flooring adhesive.

- Superior green grab & strength
- Trowels and cleans up easily
- Best for use in new construction

size	item #	units/case	cases/pallet
3.5 Gallon Metal Pail	8179	1	36



231 SELECT

An acrylic polymer wood flooring adhesive that is ideal for the installation of engineered wood flooring.

- Easy cleanup
- Minimizes hollow & popping spots
- Excellent strength development

size	item #	units/case	cases/pallet
3.5 Gallon Plastic Pail	3919	1	36



531+ MOISTURE CONTROL SYSTEM

Solves the transfer of moisture through concrete subfloors to wood flooring by reducing the transmission rate.

- One-coat application for total protection
- Fast cure, same-day installation of wood or resilient
- No moisture limitation for wood

size	item #	units/case	cases/pallet
1 Gallon - Mixed	1296	1	44



675 LVT FLOORING

A low-odor acrylic polymer adhesive designed to produce a strong tenacious bond to oily or highly plasticized LVT products.

- Extra strength for hard-to-bond LVT
- Aggressive initial grab
- Can be rolled for pressure-sensitive applications
- LEED V4.1 certified

size	item #	units/case	cases/pallet
4 Gallon Plastic Pail	9254	1	36
1 Gallon Plastic Pail	9256	4	30



720 CONTRACTOR GRADE MULTI-PURPOSE

Ideal for carpet, sheet resilient, and cork underlayments.

- Good handling properties
- Water resistant
- Fast tack

size	item #	units/case	cases/pallet
4 Gallon Plastic Pail	9204	1	36



780 PREMIUM MULTI-PURPOSE

An environmentally superior latex flooring adhesive with fast tack and a strong permanent bond for LVT, carpet, VCT, cork, rubber tile, and felt-backed resilient sheet goods.

- Fast tack with easy handling properties
- Can lay floor in 10-15 minutes
- LEED V4.1 certified

size	item #	units/case	cases/pallet
4 Gallon Plastic Pail	9434	1	36
1 Gallon Plastic Pail	9436	4	30



920 CLEAR THIN SPREAD TILE

An environmentally safe, pressure-sensitive, acrylic latex flooring adhesive for the installation of vinyl composition tiles.

- Quick grab
- Water resistant
- High moisture resistance

size	item #	units/case	cases/pallet
4 Gallon Plastic Pail	9234	1	36



TONGUE & GROOVE

A premium wood glue that passes the stringent ANSI Type II water resistance test.

- Water resistant
- Long shelf life
- Easy cleanup

size	item #	units/case	cases/pallet
16 Oz Bottle	2104	12	100





WOOD FLOORING TAPE

Based on proprietary adhesive technology, it provides a strong, permanent bond to nearly any subfloor material, including concrete, primed lightweight concrete and plywood.

- Ideal for all flooring types, vertical flooring & paneling
- Strong initial tack
- Reduces time nailing and filling holes

size	item #	units/case	cases/pallet
1 Roll (2" x 40')	16320	12	45



URETHANE REPAIR

A quick-curing, two-part urethane system that enables contractors to repair loose or popping areas in a finished floor.

- No visible defects from repair
- Easy-flow adhesive
- Contains no water and will not distort wood

size	item #	units/case	cases/pallet
Cartridges	10003	12	140
1 Dispensing Gun	17872	1	n/a




SAUSAGE GUN

A professional-grade sausage gun designed specifically for installing wood/resilient flooring.

- Heavy duty construction
- Aluminum barrel
- Double grip plates for a long life

size	item #	units/case	cases/pallet
20 Oz Sausage Gun	17844	1	30



TROWELS

Ensures the most successful and cost effective installation possible.

- Sturdy with a comfortable hand grip
- Variety of notch configurations for specific adhesives

size	item #	units/case	cases/pallet
1/4" w x 3/16" d V-notch (saw tooth)	17882	8	65
3/16" w x 1/4" d x 1/2" c-c (or 5/16" space) V-notch	17884	8	65
3/16" w x 3/16" d x 3/16" c-c Square-notch	17886	6	160
1/16" w x 3/16" d x 5/64" c-c U-notch	17889	6	112
3/16" w x 1/4" d x 11/16" c-c (or 1/2" space) V-notch	17929	8	65



CAULKS & SEALANTS

Titebond
THE PRO'S ADVANTAGE

titebond.com | 800.347.4583

HIGH PERFORMANCE SEALANTS



WEATHERMASTER

It can be extruded in low temperatures, remains permanently flexible with zero shrinkage, adheres well to damp surfaces and provides a weatherproof seal against the elements.

- Applies in all weather conditions
- Unbeatable adhesion & remains permanently flexible
- Joint movement capability $\pm 50\%$

size	item #	units/case	cases/pallet
9.5 Oz Cartridge			
White	44001	12	108
Clear	43991	12	108
Translucent	44011	12	108

200+ colors available
Color matching available, call 800.877.4583



METAL ROOF

It can be extruded in extreme temperatures, remains permanently flexible and will not shrink, adheres well to wet and damp surfaces, and is dust and dirt resistant.

- Adheres to all metal & Kynar™ coated metal
- Works in extreme temperatures
- Joint movement capability $\pm 50\%$



Product passed stringent third-party testing to meet requirements of use in high-wind areas.

size	item #	units/case	cases/pallet
9.5 Oz Cartridge			
White	61001	12	108
100+ colors available			
20 Oz Sausage			
White	63002	20	42

11 colors available
Color matching available, call 800.877.4583



ULTIMATE MP

A premium-grade, superior polymer, multipurpose exterior sealant that offers unbeatable adhesion to most common building materials.

- Adheres to almost any building material
- Applies in extreme weather conditions
- Joint movement capability $\pm 50\%$



Product passed stringent third-party testing to meet requirements of use in high-wind areas.

size	item #	units/case	cases/pallet
9.5 Oz Cartridge			
White	71001	12	108
15+ colors available			
20 Oz Sausage			
White	71002	20	42

11 colors available



CONCRETE JOINT

Premium grade, high performance sealant is designed to flow easily and smoothly into concrete cracks and joints, providing a permanent, durable seal.

- Self leveling for horizontal concrete joints
- Excellent adhesion & flexibility
- Smooth, easy flow

size	item #	units/case	cases/pallet
10.1 Oz Cartridge			
Gray	3191	12	108



GUTTER & SEAM

Long-lasting, superior polymer sealant that maintains resiliency and flexibility providing a highly weather-resistant seal.

- Designed for gutters, downspouts & flashing
- Remains flexible in all temperatures
- Superior adhesion to prevent leaks

size	item #	units/case	cases/pallet
9.5 Oz Cartridge			
White	7321	12	108
Aluminum Gray	7331	12	108

EXTERIOR SEALANTS



ROOF PLUS

A water-resistant, solvent-based, elastomeric rubber sealant designed for roofing applications.

- Exceptional flexibility – Will not crack
- Designed for dynamic joint movement
- Adhesive or sealant use

size	item #	units/case	cases/pallet
10.1 Oz Cartridge Clear	3241	12	108




ROOF CEMENT

An all-weather, asphalt-based patching compound designed and formulated to repair cracks, seams, gaps and holes in roofing materials.

- Designed for roofing installation & repair
- All-weather formula
- Stops roof leaks

size	item #	units/case	cases/pallet
10.3 Oz Cartridge Black	3211	12	108



BLACKTOP REPAIR

A non-reactive, durable, acrylic latex formula specifically designed for repairing and sealing cracks in all asphalt surfaces.

- Weather-resistant seal for asphalt surfaces
- Fills & seals cracks
- Resists oil, gas, grease & salt

size	item #	units/case	cases/pallet
10.1 Oz Cartridge Black	3181	12	108



CONCRETE REPAIR

A flexible, acrylic latex formula specifically designed for repairing and sealing cracks in steps, patios, driveways, sidewalks and mortar joints.

- Weather-resistant seal for concrete & masonry
- Resists oil, gas, grease & salt
- Easy extrusion

size	item #	units/case	cases/pallet
10.1 Oz Cartridge Gray	3171	12	108

INTERIOR SEALANTS



ACOUSTICAL SMOKE & SOUND

A professional-quality sealant designed to improve STC (Sound Transmission Class) ratings in wall and floor systems.

- Professional smoke & sound proofing
- Improves STC ratings
- Mold & mildew resistant

size	item #	units/case	cases/pallet
28 Oz Cartridge	2892	12	44
5 Gallon Pail	2897	1	24



RADON

A non-chemically curing sealant for foundation cracks, joints and penetrations surrounding the foundation.

- Reduces radon entry
- Barrier to air, dirt & insects
- Seals foundation gaps

size	item #	units/case	cases/pallet
10.1 Oz Cartridge Concrete Gray	3251	12	108

MULTI-PURPOSE CAULKS & SEALANTS



100% SILICONE

A non-staining versatile formula designed for both interior and exterior applications.

- Premium multi-purpose applications
- Watertight seal
- NSF 51 Certified for direct food contact

size	item #	units/case	cases/pallet
10.1 Oz Cartridge			
White	2601	12	108
Clear	2611	12	108



UA 920

A high performance, elastomeric, urethane acrylic formula with superior adhesion and increased flexibility for durable, crackproof seals.

- Interior & exterior applications
- Superior handling and tooling properties
- Permanently flexible and crackproof

size	item #	units/case	cases/pallet
10.1 Oz Cartridge			
White	87001	12	108
Clear	87151	12	108
10 colors available			



PRO-GRADE

A multi-purpose acrylic latex caulk for interior use. It is easy-to-use, tools easily, dries quickly and cleans up with water.

- Tools & paints easily
- Provides a water-resistant seal
- Unbeatable adhesion to most common building materials

size	item #	units/case	cases/pallet
10.1 Oz Cartridge			
White	7401	12	108
5 Gallon Pail			
White	7407	1	24



PRO-GRADE PLUS

A multi-purpose siliconized acrylic latex caulk for interior and exterior use. The easy-to-use formula dries quickly and cleans up with water.

- Joint movement capability $\pm 25\%$
- Repair, seal & fills cracks
- Provides a water-resistant seal
- Available in 9 colors

size	item #	units/case	cases/pallet
10.1 Oz Cartridge			
White	8401	12	108
Almond	8411	12	108
Brown	8421	12	108
Clear	8431	12	108
Slate Gray	8441	12	108
Cedar Tan	8451	12	108
Black	8461	12	108
Anitque White	8471	12	108
Dark Bronze	8481	12	108
5 Gallon Pail			
White	8407	1	24

SPECIALTY



TITEPATCH

An interior and exterior use elastomeric patching formula designed to permanently repair, seal and fill non-structural cracks.

- Excellent adhesion
- Paintable in 30-60 minutes
- Flexible seal

size	item #	units/case	cases/pallet
1 Quart Pail			
Smooth Knife Grade	5355	6	90
Textured Brush Grade	5365	6	90
Textured Knife Grade	5375	6	90
Smooth Brush Grade	5385	6	90
1 Gallon Pail			
Smooth Knife Grade	5356	4	30
Textured Brush Grade	5366	4	30
Textured Knife Grade	5376	4	30
Smooth Brush Grade	5386	4	30

FOAM SEALANTS




X-TREME MULTI-PURPOSE FOAM

One-component polyurethane foam sealant.

- Use anywhere; multi-purpose
- Fills and seals small cracks & voids
- Creates a barrier against noise, moisture & infiltration

size	item #	units/case	cases/pallet
12 Oz Can – Straw	8521	12	75
24 Oz Can – Gun	8522	12	48



X-TREME WINDOW & DOOR FOAM

One-component polyurethane foam sealant.

- Specifically for windows and doors
- Resists moisture & mold
- Closed-cell formula

size	item #	units/case	cases/pallet
12 Oz Can – Straw	8531	12	75
24 Oz Can – Gun	8532	12	48




X-TREME FIREBLOCK FOAM

One-component polyurethane foam sealant.

- Use in areas where a fireblock product is required
- Seals, fills, bonds & stops air infiltration

size	item #	units/case	cases/pallet
12 Oz Can – Straw	8541	12	75
24 Oz Can – Gun	8542	12	48



X-TREME MULTI-PURPOSE CLEANER

Cleans up WeatherMaster X-TREME foam sealants.

- Cleans foam dispensing unit
- Removes adhesives & uncured foam
- General purpose acetone cleaner

size	item #	units/case	cases/pallet
12 Oz Can	8551	12	75



X-TREME DISPENSING UNIT

A heavy-duty intermediate dispensing unit ideal for frequent use by the professional contractor.

- Modifiable bead control with instant shut off
- Solvent-resistant with included basket & needle valve

size	item #	units/case	cases/pallet
7" Barrel Length	17862	2	120